



THERMILATE MIDDLE EAST TRADING L.L.C
P.O. BOX 234195, AL QUSAIS, DUBAI, U.A.E
Email: thermilate@eim.ae
Tel: +9714-2511390 • Fax: +9714-2511349
Web: www.thermilate.ae


DIVERSION ON VENTILATOR

METHOD STATEMENT

BEFORE COMMENCEMENT




Ventilator joints rusted and leaking



Joints cleaned. Removed loose Rust



THERMILATE MIDDLE EAST TRADING L.L.C
P.O. BOX 234195, AL QUSAIS, DUBAI, U.A.E
Email: thermilate@eim.ae
Tel: +9714-2511390 • Fax: +9714-2511349
Web: www.thermilate.ae



RUST ARRESTOR COATING



Apply 2 coats of RUST BULLET. Allow 6 hours to cure



THERMILATE MIDDLE EAST TRADING L.L.C
P.O. BOX 234195, AL QUSAIS, DUBAI, U.A.E
Email: thermilate@eim.ae
Tel: +9714-2511390 • Fax: +9714-2511349
Web: www.thermilate.ae



Cut corrugation in order to create slope



Fix 'L' Flashing in the front and close the top with a plain sheet to complete a box with 'L' diversion facing the slope. Apply Butyl Sealant to the joints.



THERMILATE MIDDLE EAST TRADING L.L.C
P.O. BOX 234195, AL QUSAIS, DUBAI, U.A.E
Email: thermilate@eim.ae
Tel: +9714-2511390 • Fax: +9714-2511349
Web: www.thermilate.ae



Fix Butyl Tape 75mm/100mm wide to seal all joints and rivets.



Apply 1 coat of Thermilate e-coat over tapes. Allow to cure for 3 hours. Fix Reinforcement mesh soaked in E-coat paint. Fix mesh over Tapes on all joints.



THERMILATE MIDDLE EAST TRADING L.L.C
P.O. BOX 234195, AL QUSAIS, DUBAI, U.A.E
Email: thermilate@eim.ae
Tel: +9714-2511390 • Fax: +9714-2511349
Web: www.thermilate.ae



Apply 1 coat of Thermilate e-coat on complete box



Apply second coat of Thermilate e-coat on complete box



THERMILATE MIDDLE EAST TRADING L.L.C
P.O. BOX 234195, AL QUSAIS, DUBAI, U.A.E
Email: thermilate@eim.ae
Tel: +9714-2511390 • Fax: +9714-2511349
Web: www.thermilate.ae



AFTER COMPLETION